

**CASEMENT**  
WINDOW  
平开窗

---

尊享「深舒适」头等舱  
ULTRA COMFORT

行政级官邸 深舒适尊享定制




领跑颠覆性的门窗三平美学设计  
整合新一代门窗先进科技<隔音·隔热·安全·美学>  
每天可节能70%，为双碳生活增值

\*数据说明:室外环境温度36°C,室内设定环境温度26°C,并维持恒温12小时。派雅门窗K值低至1.4,普通铝门窗K值为3.2-4.6,派雅门窗节能可达70%。

Design by STUDIO PORSCHE  
山湖海OPUS执手 保时捷设计工作室独家出品

\*内开内倒窗执手


荣获全球工业设计奖大满贯 誉满全球



MS class  
SHH SERIES  
CASEMENT WINDOW


MUSE DESIGN AWARDS  
荣获2022年美国MUSE  
产品设计金奖

派雅门窗高端形象产品



Product performance

■ 此产品性能值 ■ 新国标性能值




扫一扫  
查看检测报告

# SHH SERIES


## CASEMENT WINDOW

### specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+9A+5mm+12A+6mm 双银LOW-E  
**Opening Sash Dimension:** width:570mm-750mm height:760mm-2460mm  
**Hardware configuration:** 欧普斯(OPUS)执手、德国格屋窗控系统、HOPPE  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 聚氨酯泡沫、保温隔音棉、暖边条、玻璃压紧器  
**Optional colors:**



### Opening method




### specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+9A+5mm+12A+6mm 双银LOW-E  
**Opening Sash Dimension:** width:430mm-750mm height:660mm-1660mm  
**Hardware configuration:** 德国好博执手、德国格屋窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 聚氨酯泡沫、保温隔音棉、暖边条、玻璃压紧器  
**Optional colors:**



### Opening method




### specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+27A+5mm  
**Opening Sash Dimension:** width:800mm-1600mm height:1600mm-3200mm  
**Hardware configuration:** 德国丝吉利娅窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 隔音隔热棉  
**Optional colors:**



### Opening method



**wehag** OPUS / 欧普斯

山湖海OPUS执手

Design by **STUDIO F·A·PORSCHE**  
 保时捷设计工作室

\*内开内倒窗执手



MS class-T  
HJW SERIES  
OUT-OPENING WINDOW

干净利落 藏锋于心



新一代「深舒适」门窗科技  
隔音隔热安全美学



2.0超国标型材  
适用豪宅别墅高楼层



德国维哈根窗控系统  
灵活开关安全在线

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:430mm-750mm height:560mm-1660mm

Hardware configuration: iHandle Wehag

Aluminum profile: 6063-T5

Optional accessories: 防护框、限位器、隔音隔热棉、防坠绳

Optional colors:

metallic grey	brown metallic grey	metallic grey brown	brown
metallic grey shiny black	brown shiny black	metallic grey shiny mocha	brown shiny mocha

Opening method



class  
JHMZ SERIES  
INSULATION SYSTEM WINDOW

保温性能提升70% 隔热性能更强劲



新一代「深舒适」门窗科技  
保温性提升70%



强效锁温御寒  
满足华东及北方地区隔热保温需求



高端性能格外出色  
构筑舒适与共理想人居

specification

Place of origin: Foshan, Guangdong

Glass configuration: 6mm+12A+5mm+9A+5mm  
5mm+27A+5mm

Opening Sash Dimension: width:570mm-750mm height:770mm-2470mm

Hardware configuration: 德国丝吉利娅无底座执手  
德国丝吉利娅窗控系统



Aluminum profile: 6063-T5

Optional accessories: 高透纱网

Optional colors:


metallic grey	metallic grey phantom brown	metallic grey shiny black	metallic grey shiny mocha
brown	brown shiny mocha	brown shiny black	brown phantom brown
grey	grey shiny mocha	grey shiny black	grey phantom brown

Opening method



class  
AQH SERIES  
CASEMENT WINDOW

观海听涛 共鉴人生



三平美学  
7mm双凹线条奢享设计

EPDM  
多道豪车级柔性密封  
畅享绿色低碳生活

新国标型材、多舱体设计  
整窗性能再升级

AQH SERIES-II代  
CASEMENT WINDOW

specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm


Opening Sash Dimension: width:570mm-860mm height:770mm-2470mm

Hardware configuration: 德国丝吉利娅内开内倒窗控系统  
德国丝吉利娅无底座执手

Aluminum profile: 6063-T5

Optional accessories: 高透网、隔音隔热棉、防暖边条

Opening method



specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm


Opening Sash Dimension: width:420mm-750mm height:610mm-1660mm

Hardware configuration: HOPO智能芯片执手、德国格屋窗扇铰链

Aluminum profile: 6063-T5

Optional accessories: 防护框、限位器、隔音隔热棉、防坠绳  
高透网、暖边条

Opening method



Optional colors



class

# AQH SERIES

INNER OPENING AND INNER INVERTED WINDOW

观海听涛 智享人生



三平美学设计  
窗纱齐平内外纯平

电动智慧开关  
远程控制风雨感应

HOPO  
HOPO“好博智家”  
五金窗控系统

### specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+12A+5mm+12A+5mm


Opening Sash Dimension: width:650mm-750mm height:800mm-2000mm

Hardware configuration: 好博窗控电动内开内倒窗控系统

Aluminum profile: 6063-T5

Optional accessories:  metallic grey

### Opening method



Tilt & Turn



Inward casement



class

# AQH SERIES(微通风)

MICRO VENTILATION WINDOW

观海听涛 共鉴人生



20cm微通风口设计  
视野宽阔安全在线

27A大中空玻璃  
舒适隔音刚刚好

加厚窗框设计  
大幅提升抗风压系数

### specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+27A+5mm


Opening Sash Dimension: height:600mm-2400mm

Hardware configuration: OPUS执手、德国格屋窗控系统、无底座执手

Aluminum profile: 6063-T5

Optional accessories: 金刚纱网、隔音隔热条

Optional colors:



### Opening method




内平开



class  
**TY SERIES**  
 CASEMENT WINDOW

不显露 自显赫




- 国标型材加宽窗框 超强性能倍感安心
- 加宽尼龙玻纤隔热条 冬暖夏凉绿色环保
- 超大开启扇封阳台 既是门也是窗

**TY SERIES-III代**  
 CASEMENT WINDOW

specification

- Place of origin:** Foshan, Guangdong
- Glass configuration:** 5mm+20A+5mm
- Opening Sash Dimension:** width:570mm-750mm height:770mm-2470mm
- Hardware configuration:**
- Aluminum profile:** 6063-T5
- Optional accessories:** 隔音隔热棉、外挂316金刚纱网、外挂高透网、安全玻璃护栏

Opening method




**TY SERIES-IV代**  
 CASEMENT WINDOW

specification

- Place of origin:** Foshan, Guangdong
- Glass configuration:** 6mm+12A+5mm+9A+5mm
- Opening Sash Dimension:** width:570mm-750mm height:770mm-2470mm
- Hardware configuration:** 德国格屋内开内倒窗控系统
- Aluminum profile:** 6063-T5
- Optional accessories:** 安全玻璃护栏、隔音隔热棉、外挂316金刚纱网、外挂高透网

Opening method



Optional colors



class

# TY SERIES


## MICRO VENTILATION WINDOW

不显露 自显赫



 20cm微通风口设计  
柔性通风安全在线

 无多余开启扇  
大玻璃极致大视野

 窗型设计灵活多样  
有固定扇有开启扇

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm

**Opening Sash Dimension:** 德国格屋窗控系统

**Hardware configuration:** height:600mm-2400mm


**Aluminum profile:** 6063-T5

**Optional accessories:** 隔音隔热棉、外挂316金刚纱网

### Optional colors:



### Opening method



Inward casement




class-T

WJ SERIES

OUTWARD OPENING WINDOW

敢出色·更出众  
再次定义极窄门窗



窄边框、大视野  
高层用户也可装大落地窗

三平美学设计  
引起极度舒适

双面美学  
极简线条设计  
\*请参系列三代窗纱一体外开窗

2.4cm极窄玻璃扇框  
更有1.6cm极窄窗框  
\*请参系列三代窗纱一体外开窗

## WJ SERIES-II、III代 CASEMENT WINDOW

### specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:440mm-750mm height:560mm-1660mm

Hardware configuration: 派雅专属定制执手、格屋外开铰链

Aluminum profile: 6063-T5

Optional accessories: 防护框、限位器、隔音隔热棉、防坠绳  
高透网、暖边条

Optional colors:

metallic grey	brown	metallic grey	metallic grey
metallic grey	metallic grey	brown	shiny black
brown	brown	brown	
shiny black	shiny mocha	brown	

### Opening method



### specification

Place of origin: Foshan, Guangdong

Glass configuration: 5mm+20A+5mm

Opening Sash Dimension: width:440mm-750mm height:650mm-1650mm

Hardware configuration: 派雅定制窗控系统、丝吉利娅执手

Aluminum profile: 6063-T5

Optional accessories: 金刚纱网、高透网、防护框、限位器  
隔音隔热棉、防坠绳

Optional colors:


shiny black	shiny mocha
-------------	-------------

### Opening method



**class**  
**XR SERIES**  
CASEMENT WINDOW

保温节能的理想之窗



加厚窗扇+超宽隔热条  
不惧北方极寒天气

高颜值隐藏式排水结构  
严防风雨渗入室内

设计师执手定制  
契合人体工学,握感舒适

**XR SERIES**  
CASEMENT WINDOW

specification

**product name:** XR 85  
**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 标配:5mm+20A+5mm 选配:5mm+12A+5mm+12A+5mm  
**Opening Sash Dimension:** width:570mm-750mm height:770mm-2470mm  
**Hardware configuration:** 派雅“小蛮腰”执手、标配丝吉利娅五金  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 隔音隔热棉、格屋、诺托五金

Opening method



specification

**product name:** XR 90  
**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 标配:5mm+20A+5mm 选配:5mm+12A+5mm+12A+5mm  
**Opening Sash Dimension:** width:570mm-750mm height:770mm-2470mm  
**Hardware configuration:** 派雅“小蛮腰”执手、标配丝吉利娅五金  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 隔音隔热棉、格屋、诺托五金

Opening method




specification

**product name:** XR Pro 105  
**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+12A+5mm+12A+5mm  
**Opening Sash Dimension:** width:570mm-750mm height:770mm-2470mm  
**Hardware configuration:** 派雅“小蛮腰”执手、标配丝吉利娅五金  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 隔音隔热棉、格屋、诺托五金

Opening method




Optional colors



**class**  
**XY SERIES**  
CASEMENT WINDOW

把星空和梦想带回家



**三平美学设计**  
玻纱齐平内外纯平

**超宽隔热条**  
隔热性能更强悍


**标配德国窗控系统**  
结构稳定又安全

**XY SERIES**  
CASEMENT WINDOW

specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+20A+5mm  
**Opening Sash Dimension:** width:460mm-750mm height:870mm-2490mm  
**Hardware configuration:** 锁闭磁力辅助器、维哈根无底座执手 Wehag维哈根窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 高透网、安全玻璃防护栏、隔音隔热棉


Opening method



specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+20A+5mm  
**Opening Sash Dimension:** width:410mm-750mm height:590mm-1690mm  
**Hardware configuration:** iHandle抑菌执手 Wehag维哈根窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 高透网、可开启防护栏、隔热隔音棉、防坠绳

Opening method



Optional colors



# XY SERIES-III代

## CASEMENT WINDOW

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+27A+5mm


**Opening Sash Dimension:** width:460mm-750mm height:870mm-2490mm

**Hardware configuration:** 维哈根无底座执手、Wehag维哈根窗控系统  
锁闭磁力辅助器

**Aluminum profile:** 6063-T5

**Optional accessories:** 高透网、隔音隔热棉、安全玻璃护栏

### Opening method



Tilt & Turn      Inward casement

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+27A+5mm

**Opening Sash Dimension:** width:410mm-750mm height:590mm-1690mm

**Hardware configuration:** iHandle抑菌执手、Wehag维哈根窗控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 高透网、可开启防护栏、隔热隔音棉、防坠绳

### Opening method



Awning+Outward casement



Outward casement      Awning

### Optional colors




class

# JF SERIES

## OUT-OPENING WINDOW

窗艺百变 百搭质选



适配全屋窗户定制  
灵活百搭超实用

黄金比例线条设计  
视觉效果美观大方

全新专利结构  
采用隐藏式排水系统

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm

**Opening Sash Dimension:** width:420mm-750mm height:600mm-1700mm

**Hardware configuration:** iHandl执手、HOPO执手、好博窗控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 限位器、隔热保温棉、防坠绳


**Optional colors:** grey brown metallic grey white

### Opening method



class  
XF105 SERIES  
CASEMENT WINDOW

普惠先锋 舒适万家




- 10+道 密封结构
- 105mm 超宽占墙
- 1.8mm 新国标型材
- 内外 贴心护角
- 组合式 加强中挺
- HOPO HOPO 窗控系统

XF 105 SERIES  
CASEMENT WINDOW

specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 标配5mm+20A+5mm  
 选配5mm+12A+5mm+12A+5mm  
**Opening Sash Dimension:** width:550-750mm height:800-1500mm  
**Hardware configuration:** iHandle执手  
 好博窗控内开/内开内倒窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 晾衣架、电动/手动百叶、高透纱网


Opening method



specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+20A+5mm  
**Opening Sash Dimension:** width:550-750mm height:800-1500mm  
**Hardware configuration:** iHandle执手  
 好博窗控外开窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 固定或开启式防护框、不锈钢防护框  
 晾衣架、电动/手动百叶、高透纱网

Opening method




Optional colors



class

# WJDH110 SERIES CASEMENT WINDOW

造一扇好窗 筑万家灯火



- 三平美学设计
- 80/100/110mm 超宽占墙
- 1.8mm 新国标型材
- 超宽多腔体 隔热条
- MAX 大玻璃
- 十道密封结构
- 多腔体结构
- 超高承重铰链

# WJDH110 SERIES CASEMENT WINDOW

## specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm


**Opening Sash Dimension:** Inward casement width:380mm-750mm height:580mm-1680mm  
Tilt & Turn width:460mm-750mm height:750mm-2480mm

**Hardware configuration:** iHandle无底座荷叶自洁执手、好博窗控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 晾衣架、隔音隔热棉

## Opening method



## specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm


**Opening Sash Dimension:** width:430mm-750mm height:510mm-1710mm

**Hardware configuration:** iHandle抑菌执手、好博窗控系统


**Aluminum profile:** 6063-T5

**Optional accessories:** 晾衣架、限位器、隔音隔热棉、防坠绳、防护栏

## Opening method



## Optional colors



## WJDH 100 SERIES

### CASEMENT WINDOW

#### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm  
(选配5mm+12A+5mm+12A+5mm)


**Opening Sash Dimension:** width:550mm-750mm height:800mm-1400mm

**Hardware configuration:** iHandle无底座荷叶自洁执手  
好博窗控内开/内开内倒窗控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 晾衣架、隔音隔热棉

#### Opening method



## WJDH 88 SERIES

### CASEMENT WINDOW

#### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm  
(选配5mm+12A+5mm+12A+5mm)


**Opening Sash Dimension:** width:550mm-750mm height:800mm-1400mm

**Hardware configuration:** iHandle无底座荷叶自洁执手  
好博窗控内开/内开内倒窗控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 晾衣架、隔音隔热棉

#### Opening method 开启方式



#### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm

**Opening Sash Dimension:** width:550mm-700mm height:800mm-1400mm

**Hardware configuration:** iHandle抑菌执手、好博窗控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 固定或开启式防护框、晾衣架  
电动/手动百叶、316金刚纱网/高透网

#### Opening method



#### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+15A+5mm

**Opening Sash Dimension:** width:550mm-700mm height:800mm-1400mm

**Hardware configuration:** iHandle抑菌执手、好博窗控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 可开启晾衣架、开窗限位器  
隔音隔热棉、防坠绳、防护栏

#### Opening method



#### Optional colors



#### Optional colors



⊗ class  
**π SERIES**  
 CASEMENT WINDOW

给自己一处留白




从中国传统色彩中撷取灵感  
 研发全新色彩—浅云白

予人明快、平静、治愈、舒适的生活体验

浅云白、浅云绿、浅云蓝、浅云粉、浅云木  
 五大浅云色执手任选


**π SERIES**  
 CASEMENT WINDOW



specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+27A+5mm  
**Opening Sash Dimension:** width:460mm-750mm height:870mm-2490mm  
**Hardware configuration:** iHandle执手、维哈根窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 高透网、隔音隔热棉、手动/电动百叶


Opening method



specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 5mm+27A+5mm  
**Opening Sash Dimension:** width:410mm-750mm height:590mm-1690mm  
**Hardware configuration:** iHandle执手、维哈根窗控系统  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 高透网、隔音隔热棉  
 手动/电动百叶、可开启防护框

Opening method



Optional colors



Handle color

iHandle执手  
 五种颜色任意挑选  
 (标配)



SLIDING WINDOW

推拉窗

---

class

# YF SERIES

SLIDING WINDOW

断桥设计 更“懂”隔音控温



断桥设计+PA66隔热条  
隔音隔热全面致胜



四道硅化毛条 加强密封  
防风防尘不漏风



下轨储水槽加深  
排水顺畅无忧

### specification

**Place of origin:** Foshan, Guangdong

**Frame thickness:** 二轨76mm 三轨带金刚纱网119mm

**Glass configuration:** 5mm+9A+5mm

**Opening Sash Dimension:** width:500mm-1500mm height:560mm-2000mm

**Hardware configuration:** 派雅专属定制下滑轮、自动锁

**Aluminum profile:** 6063-T5

**Optional accessories:** 抗风扶手、高透网、中空格条、防护栏

### Optional colors



### Opening method



Two window sashes



Four window sashes

class-T

# WJ SERIES

SLIDING WINDOW

敢出色·更出众  
再次定义极窄门窗



创新窗扇嵌入边框隐藏式设计  
搭配3.5cm开启极窄扇宽



整窗简约大气  
可眺望远超常规的超大视觉世界



达3m超宽单扇方案  
可自由搭配多扇开启方案

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+19A+5mm


**Opening Sash Dimension:** width:540mm-3000mm  
height:400mm-1600mm

**Hardware configuration:** 专属定制碰锁、滑轮五金

**Aluminum profile:** 6063-T5

**Optional accessories:** 高透网、加强扶手、晾衣架

### Optional colors



### Opening method






push and pull from side to side

e class  
YY SERIES  
SLIDING WINDOW

放心入 开启好生活



-  勾企胶条挤压密封 防止透风漏风
-  下轨加深水槽设计 提升储水空间
-  超宽扶手加装 既可置物又可抗风

specification

**Place of origin:** Foshan, Guangdong

**Frame thickness:** 二轨76mm 三轨带金刚纱网119mm

**Glass configuration:** 5mm+9A+5mm

**Opening Sash Dimension:** width500mm-1500mm height:560mm-2000mm

**Hardware configuration:** 派雅专属定制自动锁、下滑轮

**Aluminum profile:** 6063-T5

**Optional accessories:** 抗风扶手、高透网、中空格条、防护栏

**Optional colors:**    
brown grey

Opening method



e class  
YD SERIES  
SLIDING WINDOW

简雅设计 又潮又精致



-  创新中窄边框 空间更大世界更广
-  超宽扶手加装 可置物可抗风
-  勾企胶条挤压密封 防止透风漏风

specification

**Place of origin:** Foshan, Guangdong

**Frame thickness:** 二轨87mm 三轨带金刚带纱网121mm





**Glass configuration:** 5mm+12A+5mm

**Opening Sash Dimension:** width:500mm-1400mm height:530mm-2000mm


**Hardware configuration:** 派雅专属定制自动锁、下滑轮

**Aluminum profile:** 6063-T5

**Optional accessories:** 抗风扶手、高透网、中空格条、防护栏

**Optional colors:**      
grey brown metallic grey shiny black

Opening method





门窗是建筑的眼睛  
建筑因门窗有了真正的灵魂  
Doors and windows are the eyes of architecture  
Architecture has a true soul due to its doors and windows

## INNOVATION

Opening method  
创新开启方式

---

MS class

## WJ SERIES

BALCONY WINDOW

舒享豪华版观景阳台



高科技智能操作  
阳台封或不封随意切换



型材壁厚高达6.0  
重新定义阳台阔境视野



全方位人性化设计  
你的生活节奏你主导

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 12+1.52夹胶+12超白玻璃


**Hardware configuration:** 德国敦科品牌电机、光电防夹感应

**Rising speed:** 以约0.6米/分钟匀速升降

**Optional accessories:** 防风卷帘、雨水感应、远程控制(第三方软件)

**Optional colors:** metallic grey brown shiny black

### Opening method



Lift window

MS class

## WJ SERIES(轻型)

BALCONY WINDOW

舒享豪华版观景阳台



高科技智能操作  
阳台封或不封随意切换



型材壁厚高达6.0  
重新定义阳台阔境视野



全方位人性化设计  
你的生活节奏你主导

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** width1-4m:10+2.28夹胶+10玻璃  
width4-5m:12+3.04夹胶+12玻璃


**Hardware configuration:** 德国敦科品牌电机、光电防夹感应

**Rising speed:** 以约1.2米/分钟匀速升降

**Optional accessories:** 防风卷帘、雨水感应、远程控制(第三方软件)

**Optional colors:** metallic grey brown shiny black

### Opening method





Lift window

class-T  
WJ-II SERIES  
SLIDING WINDOW

智慧体验 开大视界



 重型电动提升系统  
多种智能操控方式

 六重安全防护  
及时感知放心开启

 电动卷纱设计  
不占室内空间

specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 8mm+16A+8mm中空玻璃(轻型)  
10mm+2.28PVB+10mm(重型)

**Hardware configuration:** 好博智控电机、遥控器、控制面板、雨水感应  
防夹手感应、遮阳防风卷帘、呼吸灯


**Rising speed:** 静音模式65秒, 应急模式15秒, 活动声音<40分贝

**Size range:** width:1500-4800mm height:1500-2600mm(轻型)  
width:1500-6000mm height:1500-2600mm(重型)

**Optional accessories:** AI语音/远程控制、备用电源(好博智控)


**Optional colors:**   
metallic grey

Opening method



class  
HJ SERIES  
SQUEEZE WINDOW

豪华头等舱 全景大视界



specification

Place of origin : Foshan, Guangdong

Glass configuration: 5mm+20A+5mm  
5mm+12A+5mm+12A+5mm

Opening Sash Dimension : width:500mm-1200mm  
height:1200mm-2600mm(100KG以内)

Hardware configuration : STORO五金、iHandle执手

Optional accessories : 316金刚纱网、高透网、玻璃护栏、隔音保温棉

Optional colors:

exterior	grey	brown	metallic grey
interior	grey	brown	metallic grey
	shiny black	shiny mocha	shiny platinum grey

Opening method



Translating squeeze window


基于飞机舱门  
豪车车门的设计灵感

活动扇特有的双向位移  
不仅可以平常推拉

还能垂直挤压5mm  
带来媲美平开窗的绝佳密封系统

class-T  
WJ SERIES  
INVERTED WINDOW

驾驭3重开启 不占室内空间



specification

Place of origin : Foshan, Guangdong

Glass configuration: 5mm+27A+5mm  
5mm+12A+5mm+12A+5mm


Opening Sash Dimension : width:560mm-930mm  
height : 1200mm-2600mm(内倒平移)  
高宽比:1.5:1 (重量限制60kg)

Hardware configuration : 国家专利双轮联动技术系统五金  
德国好博执手

Optional accessories : 高透网纱窗、隔音保温棉

Optional colors: grey brown metallic grey

Opening method



平移、内倒、纱网平开  
多种开启方式结合




不占据生活空间  
解决空间应用痛点

40mm超宽隔热条  
极致保温节能

class-T  
WJ SERIES  
SLIDING WINDOW

一体折叠 全景视野



-  **365°全景开启**  
完美解决封阳台后通风不足难题
-  **独创扇中扇结构**  
“内开内倒”开启扇可分配到任意主扇上
-  **窗扇间两道6mm密封胶条**  
媲美平开窗隔音隔热性能

specification

Place of origin : Foshan, Guangdong



Glass configuration: 5mm+20A+5mm

Opening Sash Dimension : width:450mm-800mm height:900mm-1600mm


Aluminum profile: 6063-T5

Hardware configuration : 德国丝吉利娅五金、德国好博品牌执手

Optional accessories : 内开内倒扇(带高透纱网)、超宽窗户加强扶手

Optional colors:  brown  grey

Opening method



## SLIDING DOOR


推拉门


---

class  
**LF SERIES**  
 SLIDING DOOR

感官无界 向心而悦



 中窄边框重型门  
 别墅/大平层/海景房

 超国标抗风压型材  
 多腔体结构,可抵御台风天气

 进口德国格屋提升系统  
 可固定门窗不摇晃,提升密封性

**LF SERIES- II 代、III 代**  
 SLIDING DOOR


specification

**product name:** LF-II SERIES  
**Place of origin:** Foshan, Guangdong  
**Door panel width:** 76mm  
**Glass configuration:** 5mm+15A+5mm  
**Opening Sash Dimension:** width:610mm-2500mm height:1200mm-3000mm  
**Hardware configuration:** 雅捷2号拉手+一字锁  
 (选配德国好博提升拉手德国格屋提升门控系统)  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 大理石铜条下滑、316金刚网、高透网

specification

**product name:** LF-III SERIES (中窄)  
**Place of origin:** Foshan, Guangdong  
**Door panel width:** 76mm (中窄边36mm)  
**Glass configuration:** 5mm+15A+5mm  
**Opening Sash Dimension:** width:640mm-2500mm height:1200mm-3000mm  
**Hardware configuration:** 雅捷2号拉手+一字锁  
 (选配德国好博提升拉手德国格屋提升门控系统)  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 大理石铜条下滑、316金刚网、高透网

Optional colors



## LF SERIES-IV代

### SLIDING DOOR


#### specification

**product name:** LF-III SERIES  
**Place of origin:** Foshan, Guangdong  
**Door panel width:** 76mm  
**Glass configuration:** 5mm+20A+5mm  
**Opening Sash Dimension:** width:610mm-3000mm height:1200mm-3500mm  
**Hardware configuration:** 雅捷2号拉手+一字锁  
 (选配德国好博提升拉手德国格屋提升门控系统)  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 大理石铜条下滑、316金刚网、高透网

#### specification

**product name:** LF-IV SERIES (中窄)  
**Place of origin:** Foshan, Guangdong  
**Door panel width:** 76mm (中窄边36mm)  
**Glass configuration:** 5mm+20A+5mm  
**Opening Sash Dimension:** width:640mm-2500mm height:1200mm-3500mm  
**Hardware configuration:** 雅捷2号拉手+一字锁  
 (选配德国好博提升拉手德国格屋提升门控系统)  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 大理石铜条下滑、316金刚网、高透网

#### Optional colors




## class-T


### FJ SERIES

边框更窄 性能更强



 24.6mm极窄重型门  
视野更宽性能更强

 超高承重滑轮  
有效抵御强台风高压

 适用室内室外  
应用场景多样

#### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+18A+5mm

**Opening Sash Dimension:** width:690mm-1500mm height:1500mm-2800mm

**Hardware configuration:** 派雅专属定制推拉门控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 大理石铜条下滑、平下滑、挡水下滑

#### Optional colors



# KX SERIES- II、III 代

## SLIDING DOOR

### specification

**product name:** KX-II SERIES

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 4mm+20A+4mm

**Opening Sash Dimension:** width:500mm-1500mm height:1200mm-2800mm

**Hardware configuration:** 雅典2号拉手+一字锁

**Aluminum profile:** 6063-T5

**Optional accessories:** 光能电动百叶、手动百叶、指纹锁

### Optional colors



### specification

**product name:** KX-III SERIES

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 4mm+20A+4mm

**Opening Sash Dimension:** width:500mm-1500mm height:1200mm-2800mm

**Hardware configuration:** 定制雅典4号拉手+雅典4号一字锁  
HOPO传动系统、门扇防摆轮

**Aluminum profile:** 6063-T5

**Optional accessories:** 光能电动百叶、手动百叶、指纹锁

### Optional colors




# class

## KX SERIES

平面简约 稳重大气



 极简外观设计  
搭配多样风格

 纳米密封胶条  
气密水密再升级

 双重滑轮结构  
防摆动推拉顺畅

class-T  
WJ SERIES  
SLIDING DOOR

敢出色·更出众 再次定义极窄门窗



specification

**Place of origin:** Foshan, Guangdong


**Glass configuration:** 8mm+27A+8mm

**Opening Sash Dimension:** width:1100mm-2400mm height:1500mm-3000mm

**Hardware configuration:** 极窄立面条形锁、双排自平衡滑轮

**Aluminum profile:** 6063-T5

**Optional colors:**  

 创新门扇嵌入门框式结构  
隐藏式设计, 门扇框交叠重合

 真正实现无框极简视觉感  
仅2.2cm极窄勾企宽度


 超窄  
立面可视宽度

e class  
**YY SERIES**  
 SLIDING DOOR

繁中极简 雅致有道



 钻石切面拉手  
 美观精致耐看

 派雅独有幻影啡  
 新中式风首选

 门扇框凹槽设计  
 抗风压性能优异

**YY SERIES-I、II代**  
 SLIDING DOOR

specification

**product name:**YY-I SERIES

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm

**Opening Sash Dimension:** width:510mm-1500mm height:1200-2800mm

**Hardware configuration:** 雅典3号拉手锁+一字锁、HOPO下滑轮

**Aluminum profile:** 6063-T5

**Optional accessories:** 铜条镶嵌大理石/黑丝铝条镶嵌大理石  
 平下轨(可选镶嵌)、防水下轨(可选镶嵌)  
 高边防水下轨(可选镶嵌)

specification

**product name:**YY-II SERIES

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm

**Opening Sash Dimension:** width:510mm-1500mm height:1200-2800mm

**Hardware configuration:** 雅典3号拉手锁+一字锁、HOPO下滑轮

**Aluminum profile:** 6063-T5

**Optional accessories:** 可拆卸高边防水轨

Optional colors



e class  
**WJDH SERIES**  
 SLIDING DOOR

造一扇好门 筑万家灯火



specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 标配8mm玻璃  
 选配4mm+0.76PVB+4mm夹胶玻璃


**Opening Sash Dimension:** width:420mm-1100mm height:600-2800mm









**Hardware configuration:** 派雅定制拉手

**Aluminum profile:** 6063-T5

**Optional accessories:** 双向推拉缓冲器、防摆轮

**Installation method:** 上滑平顶式、上滑入墙式

**Optional colors:** 

-  **隐至简**  
上轨/门套全隐藏
-  **窄边框**  
边框窄至10mm
-  **扇齐平**  
多扇齐平视觉零误差
-  **稳推拉**  
防摆滑轮持久稳固
-  **防摆动**  
超强承重不摇晃
-  **多组合**  
N扇联动由你定制
-  **轻启动**  
开合省力贴心缓冲
-  **无地轨**  
日常清洁无阻碍

e class  
**YD SERIES**  
 SLIDING DOOR

简奢魅力 独具品质



**YD SERIES-I、II代**  
 SLIDING DOOR

specification

**product name:** YD-I SERIES  
**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 4mm+12A+4mm  
**Opening Sash Dimension:** width 520mm-1250mm height: 1200mm-2500mm  
**Hardware configuration:** 雅捷一号拉手  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 铜条镶嵌大理石/黑色铝条镶嵌大理石  
 平下轨(可选镶嵌)、防水下轨(可选镶嵌)

specification

**product name:** YD-II SERIES  
**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 4mm+12A+4mm  
**Opening Sash Dimension:** width 520mm-1250mm height: 1200mm-2500mm  
**Hardware configuration:** 雅捷一号拉手  
**Aluminum profile:** 6063-T5  
**Optional accessories:** 高边挡水轨、可拆卸高边挡水轨

Optional colors



50mm极窄边框  
 还原空间本色

门框门扇咬扣结构  
 不畏风雨守护安全



引领性能与价值  
 尊享舒适家居生活

⊗ class

## JA SERIES

SLIDING DOOR

窄边框 大世界



### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 4mm+12A+4mm

**Opening Sash Dimension:** width:470mm-1250mm :height1200mm-2600mm

**Hardware configuration:** 派雅专属定制拉手

**Aluminum profile:** 6063-T5

**Optional accessories:** 铜条/黑色铝条下滑、镶嵌平下滑

**Optional colors:**   
shiny platinum grey shiny mocha shiny black



⊗ class


## JA-III SERIES

SLIDING DOOR

窄边框 大世界



 5mm窄边框  
近似隐形设计

 标配阻尼缓冲系统  
安静关闭不夹手

 极简风金属拉手  
美观大气易推拉

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 8mm单玻

**Opening Sash Dimension:** width:430mm-1000mm(双向缓冲门扇最小宽度700mm)  
height:1200mm-2600mm

**Hardware configuration:** 派雅专属定制拉手

**Aluminum profile:** 6063-T5

**Optional accessories:** 铜条/黑色铝条下滑、镶嵌平下滑

**Optional colors:**   
shiny platinum grey shiny mocha shiny black

⊗ class


## JA SERIES (Three linkage)

SLIDING DOOR

窄边框 大世界



 关闭无噪音  
轻柔不夹手

 联动设计  
一次可开启双倍空间

 可选配转角门扇料  
打造独立空间

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 6mm单玻

**Opening Sash Dimension:** width:690mm-1100mm height:600mm-2600mm

**Hardware configuration:** 派雅专属定制拉手

**Aluminum profile:** 6063-T5

**Optional accessories:** 铜条/黑色铝条下滑、镶嵌平下滑


**Optional colors:**   
shiny platinum grey shiny mocha shiny black


⊗ class  
JA SERIES  
HANGING DOOR

窄边框 大世界



 窄边框设计  
空间视野宽敞

 无轨道设计  
扫地机器人轻松打扫

 钻石切割斜边拉手  
美观大气又省力

JA SERIES- I 代  
SLIDING DOOR

specification

**product name:** JA-I SERIES(单玻)

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 6mm单玻 ( 选配8mm单玻/夹胶玻璃 )

**Opening Sash Dimension:** width:460mm-1100mm height:1200mm-2600mm

**Hardware configuration:** 派雅专属定制拉手

**Aluminum profile:** 6063-T5

**Optional accessories:** 单轨、双轨、三轨、四轨、五轨、六轨

specification

**product name:** JA-I SERIES(中空)

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 4mm+12A+4mm


**Opening Sash Dimension:** width:460mm-1100mm height:1200mm-2600mm


**Hardware configuration:** 派雅专属定制拉手


**Aluminum profile:** 6063-T5

**Optional accessories:** 单轨、两轨

Optional colors

 shiny platinum grey

 shiny mocha


 shiny black


⊗ class  
 π SERIES  
 HANGING DOOR

给自己一处留白



 联动设计  
节省空间

 承重高达150kg  
推拉无噪音不夹手

 清洁无死角  
扫地机器人轻松拿捏

specification

**Place of origin:** Foshan, Guangdong





**Glass configuration:** 中空款:4mm+12A+4mm (选配夹丝玻璃)  
单玻款:6mm单玻 (选配8mm/夹丝玻璃)

**Opening Sash Dimension:** width:460mm-1100mm height:1200mm-2600mm

**Hardware configuration:** 欧博凯带锁拉手、无立柱转角推拉门

**Aluminum profile:** 6063-T5

**Optional colors:**

			
pastel white	pastel blue	pastel green	pastel pink



## SWING DOOR

平开门

---

class

## YF SERIES 一代

SWING DOOR

断桥平开 定制样式不止一种



断桥结构  
隔音隔热更舒适

优质表面处理工艺  
户外几十年不褪色

可单双扇可门窗一体设计  
适用厨房阳台

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+12A+5mm

**Opening Sash Dimension:** width:600mm-1100mm height:1200mm-2800mm

**Hardware configuration:** HOPO外开门控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 德国好博执手、银色铝条、暖边条

**Optional colors:** 

class

## YF SERIES 二代

SWING DOOR

断桥平开 定制样式不止一种



门纱一体  
通风防蚊两不误

断桥结构  
隔音隔热更舒适

可单双扇可门窗一体设计  
适用厨房阳台

### specification

**Place of origin:** Foshan, Guangdong


**Glass configuration:** 5mm+20A+5mm

**Opening Sash Dimension:** width:600mm-1100mm height:1200mm-2800mm

**Hardware configuration:** HOPO外开门控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 德国好博执手

**Optional colors:** 

class  
WJDH SERIES  
SWING DOOR

造一扇好门 筑万家灯火




-  隐框设计、25mm窄边框  
45°斜边门框、隐藏式合页
-  磁吸静音执手  
豪华级密封胶条
-  艺术级玻璃  
多样选择, 舒适体验

specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 8mm单玻  
 选配4mm+0.76PVB+4mm  
**Opening Sash Dimension:** width:600mm-950mm height:1200mm-2600mm  
**Hardware configuration:** 304不锈钢合页、派雅专属定制执手  
**Aluminum profile:** 6063-T5  
**Optional accessories:** LOW-E玻璃、镀膜玻璃、夹胶玻璃、长虹玻璃  
 银色铝条、暖边条




Optional colors



class  
YD SERIES  
SWING DOOR

方寸之间 别居一格




-  以窄为美  
9mm方格设计
-  加厚304不锈钢合页  
承重性强持久耐用
-  豪华级柔性密封胶条  
阻隔声音和异味

specification

**Place of origin:** Foshan, Guangdong  
**Glass configuration:** 4mm+12A+4mm  
**Opening Sash Dimension:** width:600mm-1000mm height:1200mm-2600mm  
**Hardware configuration:** 雅迪专用锁、304不锈钢合页  
**Aluminum profile:** 6063-T5

Optional colors




⊗ class  
π SERIES  
SWING DOOR

纯粹的空间 纯粹做自己



 标配高精度静音执手  
豪车级密封胶条

 开合安静  
闭门隔音, 不打扰家人

specification

**Place of origin:** Foshan, Guangdong


4mm+12A+4mm

**Glass configuration:** 双层钢化玻璃12X9装饰隔条

**Opening Sash Dimension:** width:600mm-950mm height:1200mm-2600mm

**Hardware configuration:** π系列专用静音执手锁、304不锈钢合页

**Aluminum profile:** 6063-T5

**Optional colors:** 



⊗ class

## JA SERIES一代(单层)

SWING DOOR

窄边框 大世界



 三元乙丙密封胶条  
室内水汽不易串门

 304不锈钢合页  
美观不易变形

### specification


**Place of origin:** Foshan, Guangdong

**Glass configuration:** 8mm无指纹蒙砂灰玻

**Opening Sash Dimension:** width:600mm-950mm height:1200mm-2600mm

**Hardware configuration:** 简爱专用锁、304不锈钢合页

**Aluminum profile:** 6063-T5

**Optional colors:** 


⊗ class

## JA SERIES一代(中空)


SWING DOOR

窄边框 大世界



 窄框中空格条设计  
美观大方易清洁

 三元乙丙密封胶条  
室内水汽不易串门

 304不锈钢合页  
美观不易变形

### specification


**Place of origin:** Foshan, Guangdong

**Glass configuration:** 4mm+12A+4mm

**Opening Sash Dimension:** width:600mm-950mm height:1200mm-2600mm

**Hardware configuration:** 简爱专用锁、304不锈钢合页

**Aluminum profile:** 6063-T5

**Optional colors:** 

⊗ class


## JA SERIES 二代


SWING DOOR

窄边框 大世界



 极简隐框设计  
美观大气超百搭

 豪车级密封胶条  
减免沐浴产生的噪音

 多款艺术级玻璃  
适配不同家居风格

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 8mm单玻(选配4mm+0.76PVB+4mm)

**Opening Sash Dimension:** width:600mm-950mm height:1200mm-2600mm

**Hardware configuration:** 304不锈钢合页、派雅专属定制执手

**Aluminum profile:** 6063-T5

**Optional colors:**

			
metallic brown	anodized grey	shiny black	shiny platinum grey
			
shiny mocha			



**FLOOR SPRING / FOLDING**  
DOOR  
地弹簧门/折叠门

---

class

## HYW SERIES

SPRING DOOR

霸气外露 最佳“名片”



**GU** 德国格屋  
地弹簧门系统

**P** 派雅门窗  
专属定制3D拉手

**H** 大宅、商用场合等  
大堂首选

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 5mm+20A+5mm

**Opening Sash Dimension:** width:600mm-1200mm height:1200mm-3000mm

**Hardware configuration:** 德国格屋地弹门控系统、派雅定制拉手

**Aluminum profile:** 6063-T5

**Optional accessories:** 人脸识别、指纹、密码智能系统、地锁

### Optional colors

 Serene Brown

class

## YF SERIES

FOLDING DOOR

折叠自如 锋芒自露



**F** 灵活划分空间  
广泛应用各场所

**E** 搭载手动电动百叶  
可语音控制

**D** 经典设计  
大气百搭

### specification

**Place of origin:** Foshan, Guangdong

**Glass configuration:** 4mm+12A+4mm

**Opening Sash Dimension:** width:600mm-800mm height:1500mm-2500mm

**Hardware configuration:** 欧派克门控系统

**Aluminum profile:** 6063-T5

**Optional accessories:** 手动百叶、电动百叶

### Optional colors

 grey  white